

031328314156

Installation Guide





Company: E-CrossStu GmbH Address: Mainzer Landstr.69, 60329 Frankfurt am Main Mail: E-CrossStu@web.de

Company:YH Consulting Limited Address:C/O YH Consulting Limited Office 147,Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX Mail: H2YHUK@gmail.com



P06SZB

WARNING and CAUTION !!!

EN English

Please follow all safety operating procedures during installation. Pay attention to keep this product away from children.

DE Deutsch

Bitte beachten Sie während der Installation alle Sicherheitsvorschriften. Achten Sie darauf, dieses Produkt von Kindern fernzuhalten.

FR Français

Pendant l'installation, suivez toutes les procédures d'exploitation de sécurité. Prenez soin de garder ce produit loin des enfants.

IT Italiano

Si prega di seguire tutte le procedure operative di sicurezza durante l'installazione. Prestare attenzione a tenere questo prodotto lontano dai bambini.

ES Español

Durante la instalación, siga todos los procedimientos de operación de Seguridad. Preste atención a mantener este producto alejado de los niños.

NL Nederlands

Volg alle veiligheidsprocedures tijdens de installatie. Let op om dit product uit de buurt van kinderen te houden.

PL Polski

Podczas instalacji należy przestrzegać wszystkich procedur bezpieczeństwa. Zwróć uwagę, aby trzymać ten produkt z dala od dzieci.

CZ Čeština

Během instalace dodržujte všechny bezpečnostní provozní postupy. Věnujte pozornost tomu, aby tento výrobek udržel dál od dětí.

SE Svenska

Följ alla säkerhetsrutiner under installationen. Var uppmärksam på att hålla denna produkt borta från barn.

TR Türkçe

Lütfen kurulu sırasında tüm güvenlik işleme prosedürlerini takip edin. Bu ürünü çocuklardan uzak tutmak için dikkat et.

Please Read Carefully




Tools Needed(Prepared by Yourself)


levelling instrument	Stud Finder	Tape measure
Speed Square	Marking tools	Deep Socket Wrench
Drill bits	Electric drill	Phillips screwdriver
$\begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} $		
Combination Wrench	Hammer	Please have all of the above tools available before installation so that
		installation will be easier.
Two #13 wrenches.	Rubber Hammer	

IMPORTANT!

Check whether all the parts are complete after receiving the goods, if there are missing or damaged, please do not return the goods, contact your customer service, we will provide you with free replacement.

Packaging List(Easier installation by part number marking)





Before You Begin Warning: Do not install the track directly on drywall or other walls which don't have enough weight capacity. If necessary, we recommend using a solid wood Header Board.

▲ Ensure That Your Wall Has Sufficient Load-bearing.











Brick Walls Solid Brick Walll Hollow Brick Wall Ce


Cement wall/Concrete Wall Wooden Frame Wall

Gypsum Board Wall (If the interior of the wall is made of wood load-bearing structure) needs to be installed with "Header board", and then continue to install this track.


Gypsum Board Wall (If the interior of the wall is made of steel or iron) cannot be installed with this track.


1 Check Your Wall

Check your shed roof construction before installing. Different constructions require different tools




Solid Brick Walll\Hollow Brick Wall\Concrete wall (drilling steps on pages10-11) and cement wall require the following tools:







3 Check for level floor and center of track level IMPORTANT! ★ To ensure that the door opens and closes prorerly, use a level to check the floor and center of track are level before installing and measuring. ★ Tracks that are not level can cause sliding doors to jam, or door panels to slide sideways

Step1 Tracks Connection Arrange tracks by serial number Wrong track orientation will not align the splice Link the same numbers together, p o d Link the same numbers together ② Connecting Segment Tracks 3 (2) (1)(A)A) B Piece together until there are no gaps Use (B) parts to connect the tracks (A)③ Put the pulley into the track 1 \bigcirc (C)Insert the two rollers in the track 4 Install D (pulley stoppers) in the track 0d










The track installation process for gypsum board wall and wood framed walls is as follows.

6 Drill deep 50mm(2") holes with 3mm(1/8") power drill




(7) Install Track






The track installation process for Solid Brick Wall\Hollow Brick Wall\Concrete wall and cement wall is as follows.




The track installation process for Solid Brick Wall\Hollow Brick Wall\Concrete wall and cement wall is as follows.

4 Drill deep 50mm(2") holes with 3mm(1/8 ") power drill




(5)Install Track




Step3 Bottom Slotting of Door Panel and Hangers Installation

① Slot according to size at the bottom of the door.


If you have a floor guide that doesn't require slotting, you can ignore this step.




2 Use a drill bit with a diameter of 11mm ($\frac{7}{16}$) to drill holes on the door panel as shown.



Step4 Hanging the door




Step5 Install Floor Guide




Step6 Slide the door on open status

Push the pulley stopper close to the pulley in shown ② use the Allen key screw up the pulley stop



Step7 Slide the door on close status

Push the pulley stopper close to the pulley in shown use the Allen key screw up the pulley stopper



Step8 Install the Track End Plug

